


Langlitz Leathers



How to Measure: Pants

< 0 > **BONNEVILLE BAND:**
Measure 4 inches above the
top of the jeans.




< 1 > **WAIST:** Remove
belt and measure
around the belt band.

< 2 > **3" BELOW WAIST:**
Measure around the hips
at a point 3 inches below
the band, making sure the
back is also 3" below.



< 3 > **HIPS:** Keep feet
close together and
measure at the widest
part of the hips.



< 4 > **INSEAM:** From the top of the inseam at the crotch to one half inch above the floor while wearing boots.



< 5 > **OUTSEAM:** From the bottom of the band, measure to one half inch above the floor while wearing boots.



< 6 > **THIGH:** Measure at the largest part of the leg near the crotch.

**Langlitz
Leathers**
PORTLAND, OREGON



7 > **7" ABOVE KNEE:** Locate a point 7 inches above the middle of the kneecap, then measure around the leg at that point.



NOTE: For **RANGERS** or **COMPETITION BREECHES** remove boots and measure #4 & #5 to tip of ankle bone.

< 8 > **KNEE:**
Measure around
the middle of the
kneecap.



< 10 > **ANKLE:**
Measure over your
riding boot if the
pants are to be
worn over the
boot.



Note: If the leather pants
are to be worn
inside the
boots, then measure
around the smallest
part of the ankle
just above
the ankle bone.

< 11 > **Crotch to
Knee:** Measure
to the middle of
the kneecap.



< 9 > **CALF:**
Measure at
widest part.



< 12 > CROTCH SEAM TO FRONT BELT BAND:

Locate seam at the crotch and then measure to the bottom of the pants belt band in the front.



< 13 > CROTCH SEAM TO BACK BELT BAND:

Locate the seam at the crotch and then measure to the bottom of the pants belt band in the back.





←

**< 14 > FRONT TO BACK
THROUGH THE CROTCH:**
Measure from the bottom of
the jeans belt band in the
front thru the crotch area up
to the bottom of the jeans
belt band in the back.

→



Note #1: The measurements of #12 plus #13 should add up to #14

Note #2: Please call if you have questions: 1-503-235-0959

